John Lewis

Daisy 150cm Bedstead

King Stock code: 803/41404

Thank you for purchasing this Daisy bed. Please read the instructions carefully before use to ensure safe and satisfactory operation of this product.


For product support or spare parts please call the John Lewis Helpline;

Tel: 01244 689949
e-mail: mail@fwgroup-uk.com



PRE-ASSEMBLY PREPARATION

Please ensure instructions are read in full before attempting to assemble this product.

Necessary Tools  

Please check the pack contents before attempting to assemble this product. A full checklist of components is given in this leaflet. If any components are missing, please contact the John Lewis Helpline.

This product is **HEAVY.** It should be assembled as near as possible to the point of use. **TAKE CARE WHEN LIFTING** to avoid personal injury and (or) damage to the product.

This product takes approximately **40 MINUTES** to assemble with **2 PEOPLE.**







The fittings pack contains **SMALL PARTS** which should be **KEPT AWAY FROM YOUNG CHILDREN.**

Read this leaflet in full before commencing assembly.








If you require any additional information or have any issues with this product please call the John Lewis Helpline on 01244 689949 or e-mail mail@fwgroup-uk.com.

Fittings and parts checklist

Parts

1	Headboard x 1	
2	Footboard x 1	
3	Side Rails x 2	
4	Centre Rail x 1	
5	Tubing Slats x 2	
6	Wooden Slats x 30	


Fittings

A	M6 x 25mm Screw x 8		F	Slat Connector x 15	
B	M6 x 38mm Screw x 4		G	Allen Key x 1	
C	M6 x 63mm Screw x 2		H	Wrench x 1	
D	Screw Nut x 6				
E	Cap Ends x 30		I	Plastic Spacer x 4	

Step by step assembly instructions


Step One

Attach the Side Rails (3) to the Headboard (1) and Footboard (2) using Plastic Spacer (I) and Screw M6 x 25mm (A). Tighten using Allen Key (G).




Step Two

Place the Tubing Slats (5) into the slots on the Side Rails (3) and secure using Screw M6 x 38mm (B) and Screw Nut (D).




Step Three

Ensuring the holes along the Centre Rail (4) are facing upwards, attach to the underside of the Tubing Slats (5) using Screw M6 x 63mm (C) and Screw Nut (D).



Step Four

When attaching the Slats (6), please ensure they have the curved side facing up.
Insert the Cap End (E) into the Side Rail (3), then insert a Slat (6) into the Cap End (E). Repeat this process of attaching all slats to the Side Rails (3). Finall
Slat Connector (F) and secure to the Centre Rail (4). Repeat this process for all slats.



This bed is now ready to use.



Care and Maintenance

Metal

This Daisy bedstead should be cleaned using a soft damp cloth and dried immediately. Do not use a very wet cloth or allow any liquid contact for a long period of time as this can permanently damage the surface.

Do not use abrasive cleaner or harsh detergents as this can damage the surface.

Do not drag any object across the bed as this can cause permanent damage.

Safety Instructions

Never drag furniture when moving it. Always lift it.

Periodically check all fixings to ensure none have come loose and re-tighten where necessary.

Please take care when handling or moving the furniture as careless handling may cause damage or injury. Furniture can be dangerous if incorrectly installed. Assembly should be carried out by a competent adult. No liability will be accepted for damage or injury caused by incorrectly installed or assembled furniture. During assembly, children should be kept away from the product due to possible risk of injury.

Do not use this item if any components are missing or damaged.

It is recommended that before moving heavy objects to a new location they are completely dis-assembled to avoid personal injury or damage to the furniture. Please be careful to retain all fittings when doing this.

This product complies with BS EN 1725:1998.

If you require any additional information or have any issues with this product please call the John Lewis Helpline on 01244 689949 or e-mail mail@fwgroup-uk.com.

John Lewis Partnership 171 Victoria Street, London, SW1E 5NN
www.johnlewis.com