

Rose Bedstead

Stock number: 803/16602 : 803/16603 : 803/16604

Thank you for purchasing this Rose Bedstead, high or low foot end. Please note the assembly process is exactly the same for both high and low bedsteads. Please read the instructions carefully before use to ensure safe and satisfactory operation of this product



Pre-assembly preparation

Please ensure instructions are read in full before attempting to assemble this product

Necessary Tools



Please check the pack contents before attempting to assemble this product. A full checklist of components is given in this leaflet. If any components are missing, please contact John Lewis Customer Services or your local branch.


This product is **HEAVY**, it should be assembled as near as possible to the point of use. **TAKE CARE WHEN LIFTING** to avoid personal injury or damage to the product.





This product takes approximately **60 MINUTES** to assemble with **2 PEOPLE**.










The fittings pack contains **SMALL ITEMS** which should be **KEPT AWAY FROM YOUNG CHILDREN**.

Read this leaflet in full before commencing assembly.

Fittings and parts checklist



A	1 x Head End		H	2 x Small Nuts	
B	1 x Foot End		I	1 x Spanner	

C	8 x Large Nuts		J	64 x Plastic End Caps	
D	32 x Slats		K	2 x Bolts	
E	1 x Centre Support Rail		L	2 x Brackets	
F	2 x Side Rail		M	12 x Screw	
G	8 x Metal Threaded Rods				

Step by step assembly instructions


Step One

Screw the 8x Threaded Rods (G) into the Head End (A) and the Foot End (B) shown (4 into the head end and 4 into the foot end) until they will not go in any further.

Fittings



Gx 8



Step Two

This step requires two people. Attach the 2 x Side Rails (F) to the Head End (A) as shown below. Thread the Large Nuts and Washers (C) onto the Metal Threaded Rods (G) and tighten with the spanner (I) until the side rail are securely attached to the Head End


Fittings



C x 4



I x 1



Step Three

This step requires two people. Attach the 2 x Side Rails (F) to the Foot End (B) as shown below. Thread the Large Nuts and Washers (C) onto the Metal Thread Rods (G) and tighten with the spanner (I) until the side rail are securely attached to the Foot End


Fittings



C x 4




I x 1



Step Four

Attach the brackets (L) to the Head and Foot Ends using (M) screws inserted into the pre-drilled pilot holes. Tighten using a crosshead screwdriver


Fittings



L x 2



M x 12



Step Five

Attach the Centre Support Rail (E) to the Metal Centre Support Bracket (L) using 2 x Bolts (K) and Small Nuts (H). Please note the holes along the centre rail should be facing upwards.


Fittings



K x 2




H x 2




Step Six

Fit 2 x Plastic Caps (J) to the ends of each slat (D)




J x 64



Step Seven

Push fit the Slats (D) between the side rails (F) and Centre Rail (E). Please note the slats may need to be flattened to allow installation. Repeat the process for all the other slats.



The Assembly of your new bed is now complete, Please ensure that all fittings are now tight.

Care and Maintenance

The John Lewis Rose bedroom collection is crafted from solid Birch and Birch veneers and then hand finished with several coats of paint. Each piece is then individually distressed. This is achieved by gently rubbing by hand the top layers of finish to get to the initial coats of paint to create an authentic aged appearance. Some distressing will be black and some will be clear, but this is a natural characteristic of the effect.

Every item is unique in the way it is finished and the cracks and rubs in the paint finish are an integral part of the design.

All carving on the Rose range is done by hand by skilled craftsmen that are specifically trained. The signature carved Roses take 4 hours apiece to produce.

Safety Instructions

General warnings:

Never drag furniture when moving it, always lift it. Periodically check all fixings to ensure none have come loose and re-tighten where necessary. Please take care when handling or moving the furniture as careless handling may cause damage or injury.

Furniture can be dangerous if incorrectly installed. Assembly should be carried out by a competent person. No liability will be accepted for damage or injury caused by incorrectly installed or assembled furniture.

Specific warnings for heavy items:

It is recommended that before moving heavy objects to a new location they are completely disassembled to avoid personal injury or damage to the furniture. Please be careful to retain all fittings when doing this.

PLEASE KEEP THESE INSTRUCTIONS FOR FUTURE REFERENCE

John Lewis Partnership 171 Victoria Street London SW1E 5NN
www.johnlewis.com