John Lewis


Apollo Bedstead

Small double

Stock number: 803/41304

For product support or spare parts
please call the John Lewis Helpline;

Tel:01244 - 689949
e-mail:mail@fwgroup-uk.com




Pre-assembly Preparation

Please ensure instructions are read in full before attempting to assemble this product

Necessary Tools





Please check the pack contents before attempting to assemble this product. A full checklist of components is given in this leaflet. If any components are missing,please contact the John Lewis Helpline.

This product is **Heavy**, it should be assembled as near as possible to the point of use. **TAKE CARE WHEN LIFTING** to avoid personal injury and (or) damage to the product.







This product takes approximately **40 MINUTES** to assemble with **2 PEOPLE**.

The fittings pack contains **SMALL PARTS** which should be **KEPT AWAY FROM YOUNG CHILDREN**.








Read this leaflet in full before commencing assembly.
If you require any additional information or have any issues with this product please call the John Lewis Helpline on 01244 - 689949 or e-mail: mail@fwgroup-uk.com

Fitting and parts checklist

Bedstead Parts

1	Headboard × 1		2	Footboard × 1	
3	Side Rails × 2		4	Wooden Slat × 24	
5	Cross Bars × 2		6	Support Legs ×3	
7	Centre Rail × 1				


Fittings


A	Washer × 8		B	Bolt × 12 (M6 x 25 mm)	
C	Bolt × 2 (M6 x 30 mm)		D	Bolt × 3 (M6 x 45 mm)	
E	M6 Nut x 6		F	Adjuster × 3	
G	Centre Plastic Holder × 12		H	Side Plastic Holder x 24	
I	M4 Allen key x 2				

Step by step assembly instructions

Step One

Attach the Side Rails (3) to the Headboard (1) and Footboard (2) using Washer (A) and M6 x 25mm Bolt (B). Tighten using Allen Key (I) as shown in the diagram below.







Repeat this for all 4 corners.

Step Two


Place the Cross Bars (5) onto the Side Rails (3) and secure using M6 x 25mm Bolt (B) and M6 Nut (E). Tighten using Allen Key (I) as shown below.






Step Three

Ensuring the holes along the Centre Rail (7) are facing upwards, attach to the underside of the Cross Bars (5) using M6 x 30mm Bolt (C) and M6 Nut (E). Screw the Adjuster (F) fully into the bottom of the Supporting Legs (6). Attach the Supporting Legs (6) into the pre - drilled holes on the underside of the Centre Rail (7) using M6 x 45mm Bolt (D) as shown in the below diagram.






Note: Once the Supporting Legs(6) are secured in place, unscrew the Adjuster (F) slightly, ensuring there is a 5mm gap between the Adjuster (F) and hard point of the floor.

Step Four

Starting at the Headboard (1), attach the Centre Plastic Holders (G) into the holes along the Centre Rail (7). Ensuring the Wooden Slats (4) are facing curved side up, place a Side Plastic Holder (H) onto the end of the Wooden Slats (4). Insert the other slat end into the Centre Plastic Holder (G) then push the end with the Side Plastic Holder (H) into the pre-drilled holes along the Side Rails (3). Repeat this process for all the Wooden Slats (4).



Care and Maintenance

Metal

This bedstead should be cleaned using a soft damp cloth and dried immediately. Do not use a very wet cloth or allow any liquid contact for a long period of time as this can permanently damage the surface.

Do not use abrasive cleaner or harsh detergents as this can damage the surface.
Do not drag any object across the bed as this can cause permanent damage.

Safety Instructions

Never drag furniture when moving it, always lift it.

Periodically check all fixings to ensure none have come loose and re-tighten where necessary.

Please take care when handling or moving the furniture as careless handling may cause damage or injury. Furniture can be dangerous if incorrectly installed. Assembly should be carried out by a competent adult. No liability will be accepted for damage or injury caused by incorrectly installed or assembled furniture. During assembly children should be kept away from the product due to possible risk of injury.

Do not use this item if any components are missing or damaged.

This product complies with BS 1725:1998

It is recommended that before moving heavy objects to a new location they are completely dis-assembled to avoid personal injury or damage to the furniture .Please be careful to retain all fittings when doing this.

If you require any additional information or have any issues with this product please call the John Lewis Helpline on 01244 - 689949 or e -mail: mail@fwgroup-uk.com.

John Lewis Partnership 171 Victoria Street London SW1E 5NN
www.johnlewis.com