

For use

We recommend cleaning with a soft dry cloth.
Do not use abrasive materials as these will damage the finish.

Recommended bulb

1 x 60W
ES GLS
or
1 x 42W
ES ECO HALOGEN CLASSIC
or
1 x 9W
ES LED ENERGY EFFICIENT CLASSIC CLEAR

When changing a bulb, always switch off at the mains and allow the bulb to cool before handling. Dispose of used bulbs carefully. Do not exceed the wattage stated or use a different shape bulb from that indicated on the fitting.

Specification

Maximum wattage: 1 x 60W
Voltage: 240V, 50Hz
IP Rating: 44
Weight: 0.780kg



This symbol indicates that this product should not be treated as normal household waste and it should be recycled. John Lewis do not operate instore take back, but as members of the Distributor Trade Back scheme have funded the development and upgrade of recycling facilities across the UK. Please take it to your nearest collection facility or for further details contact your local council or visit www.recycle-more.co.uk.


We have taken great care to ensure that this product reaches you in perfect condition. However, should any parts be damaged or missing please contact our Product Helpline on (01202) 690945.

John Lewis Partnership
171 Victoria Street
London SW1E 5NN
johnlewis.com

Made in China

John Lewis

User Manual
Wickham
Wall Light



05/01/17

Thank you for purchasing this Wickham Wall Light. Please read the instructions carefully before use to ensure safe and satisfactory operation of this product.

Please keep these instructions for future reference.

Warnings!

This is a Class I product and must be earthed.

Please read these instructions carefully before commencing any work. It is recommended that this fitting is installed by a qualified electrician.

Install in accordance with the IEE Wiring regulations and the Building Regulations.

To prevent electrocution switch off at mains supply before installing or maintaining this fitting. Ensure other persons cannot restore the electrical supply without your knowledge.

If you are in any doubt, please consult a qualified electrician.

This light fitting should be connected to a 5 amp fused circuit.

If replacing an existing fitting, make a note of the connections.

Always use the correct type and wattage bulb. Never exceed the wattage stated.





When changing a bulb or adjusting the heads, always switch off at the mains and allow to cool down. Dispose of used bulbs carefully.

This product is IP44 rated

This product is suitable for installation on surfaces with normal flammability e.g. wood, plasterboard, masonry. It is not suitable for use on highly flammable surfaces (e.g. polystyrene, textiles).

For your safety, always switch off the supply before changing lightbulbs, cleaning or removing shades. Always take care when handling lightbulbs to avoid injury in case of breakage.

Parts List


Light Fitting		1	Screws		2
			Wall Plugs		2
			Plastic Shade		1

Installation Instructions

Carefully unpack the carton, making sure all the parts are present before assembly.

Step 1

Remove the finials (A) from the front of the product and lift the light fitting body away from the wall back. Keep the finials and rubber seal (B) in a safe place for use later. See Fig. 1.



Step 2

Using the wall back as a template, mark the position of the mounting holes. Drill holes and fit supplied wall plugs (suitable for masonry only - for other surfaces use appropriate fixings). Make sure the wall back is correctly oriented with the drain hole at the base. Take care not to damage any wiring or pipes when drilling the holes.

Step 3


Carefully pierce a small hole in the rubber gasket in the centre of the mounting box to allow the cable to pass through. Feed the incoming mains supply cable through the grommet entry hole.

Step 4

Secure the wall back to the wall using the screws and fixings supplied. Ensure the wall is capable of holding the weight of the product.

Step 5

Having identified the household wiring from your existing light fitting, connect to the connection block inside the product in the following way:




Check that.....

You have correctly identified the house wires. The connections are tight. No loose strands have been left out of the connection block.

Step 6

Place the light fitting over the threads of the securing screws and refit the rubber washers and finials to secure. Make sure the fitting is correctly oriented - lampholder must point downwards.



Step 7 - Fitting the bulb

During use the bulb and light fitting get very hot. Always switch off at the mains and allow the bulb to cool before replacing or adjusting the position of the spotlight heads. Always use replacement bulbs of the same type and never exceed maximum wattage. Dispose of used bulbs carefully. To fit the bulb, unscrew the plastic shade, then fit the new bulb before refitting the shade.



The plastic shade must be replaced if it becomes cracked or damaged. Do not use the product without the plastic shade attached.

Step 8

Replace fuse or circuit breaker and switch on. Your light is now ready for use.

