



SMEG COOKERS

Delivery & Connection Guide

Disposal and installation is not available online for this product. Instead, call 0345 604 8835 to order over the phone and arrange these services.

Smeg will provide a 'hook up' service to connect your new cooker to both the natural gas and/or electrical supply (please note Smeg will not undertake disconnection or connection to LPG). This connection service is provided on the understanding that existing fuel supplies have been prepared to a required standard and fall within the parameters laid out in the following information.

Once your order has been processed our fulfilment partner will get in touch with you to arrange a home delivery booking. When a date is agreed they will also give you a follow up call the day before delivery with a 4hr delivery window. You can also choose to be contacted one hour prior to delivery on the actual day, should you wish.

To ensure everything runs smoothly, when making the booking our fulfilment partner will carry out a home delivery questionnaire to ascertain information relating to both access at your property & the electrical/gas supply.

DISCONNECTION: Please note our team can only disconnect gas from a standard bayonet fitting. Please ensure any cooker for removal is cooled down prior to the team arriving.


GAS CONNECTION: Your cooker will be supplied with a one metre long mark 2 BS bayonet hose with a 1/2" BSP male fitting, which will be used to connect your cooker to the gas supply.

ELECTRICAL CONNECTION: Your electrical supply must be easy to access. If it's inaccessible or the supply is faulty, we won't be able to complete your connection. Your cooker will be supplied with the appropriate cable to connect to the electrical supply. Please visit www.smeguk.com for information on the electrical loading requirement for your appliance. Every home is different, so please ensure the electrical loading supply is suitable for the appliance you are purchasing. We recommend you seek confirmation of this via the services of a qualified electrician. If you need help finding an electrician please visit www.electricalsafetyfirst.org.uk/find-an-electrician/.

The instruction manual for your new appliance is available to view or download on our website www.smeguk.com/user-manuals which contains detailed information regarding installation.




The gas bayonet fitting must terminate to the left hand side of the cooker when viewed from the rear and must be within 100mm from the edge of left hand side, it must not be directly behind the appliance. The bayonet fitting must be no higher than 700mm and no lower than 600mm from the floor.




MODELS: TR4110/ SYD4110

The gas bayonet fitting must terminate to the right hand side of the cooker when viewed from the rear and must be within 100mm from the edge of right hand side, it must not be directly behind the appliance. The bayonet fitting must be no higher than 700mm and no lower than 600mm from the floor.



MODELS: SY93/TR93/TR103/TR103I

The gas bayonet fitting must terminate to the right hand side of the cooker when viewed from the rear and must be within 100mm from the edge of right hand side, it must not be directly behind the appliance. The bayonet fitting must be no higher than 700mm and no lower than 600mm from the floor.




ELECTRIC COOKERS

Please ensure your electricity connection is no more than 1 metre away from where the appliance will be situated.



HOT ZONE

The hot zone is the area directly above your cooker. Before connection please ensure that this area is free from flammable items including wood, wallpaper, plug sockets, wiring or an overhanging boiler. If the hot zone isn't clear, we may not be able to complete your connection.



What to expect from your connection...

- We'll unpack your new appliance.
- We'll connect it to your existing gas and/or electrics, where applicable.
- We'll position and level it.
- We'll take away all of the packaging.
- We'll remove your old appliance, if this service was requested at point of purchase.

IMPORTANT

Please note this is a delivery, disconnection, disposal and connection service only. Our fulfilment partner will only connect the gas and electric supply. All necessary gas pipework and electrical points must be in place prior to connection, any remedial work will not be undertaken and the engineer will not be able to complete connection. If we are unable to connect your new appliance due to requirements in this guide not being met and you require a return visit, additional charges will be incurred.